



INTERNATIONAL STANDARD ISO 22743:2006
TECHNICAL CORRIGENDUM 1

Published 2007-08-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

**Water quality — Determination of sulfates — Method by
continuous flow analysis (CFA) —**

TECHNICAL CORRIGENDUM 1

Qualité de l'eau — Dosage des sulfates — Méthode par analyse en flux continu (CFA)

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 22743:2006 was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 2, *Physical, chemical and biochemical methods*.

Page 3, 5.15, line 2

Delete "concentrated" and insert "diluted" and delete "5.3" and insert "5.14" so that the second sentence reads:

Add 4 ml of diluted hydrochloric acid (5.14) and 360 ml of ethanol (5.10).

Pour plus d'infos, merci de nous contacter.

Association Sénégalaise de Normalisation

4 Avenue Jean Jaurès, Immeuble El Hadj Omar DIA, 6 ème Etage
Dakar - SENEGAL

Tel: +221 33 829 58 25

Email: asn@asn.sn