



INTERNATIONAL STANDARD ISO 14698-2:2003
TECHNICAL CORRIGENDUM 1

Published 2004-11-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

**Cleanrooms and associated controlled environments —
Biocontamination control —**

**Part 2:
Evaluation and interpretation of biocontamination data**

TECHNICAL CORRIGENDUM 1

*Salles propres et environnements maîtrisés apparentés — Maîtrise de la biocontamination —
Partie 2: Évaluation et interprétation des données de biocontamination*

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 14698-2:2003 was prepared by Technical Committee ISO/TC 209, *Cleanrooms and associated controlled environments*.

Page 1

3.1. Delete the word “microbiological” from the definition “microbiological level...,” such that the it now reads as follows:

“level set by the user in the context of controlled environments, which, when exceeded, required immediate intervention, including investigation of cause, and corrective action”

3.2. Replace the existing definition with the following (to be consistent with ISO 14698-1:2003, 3.1.2, the note remains unchanged):

“level set by the user in the context of controlled environments, giving early warning of a drift from normal conditions, which, when exceeded, should result in increased attention to the process”

ICS 13.040.35

Ref. No. ISO 14698-2:2003/Cor.1:2004(E)

© ISO 2004 – All rights reserved

Published in Switzerland

Pour plus d'infos, merci de nous contacter.

Association Sénégalaise de Normalisation

4 Avenue Jean Jaurès, Immeuble El Hadj Omar DIA, 6 ème Etage
Dakar - SENEGAL

Tel: +221 33 829 58 25

Email: asn@asn.sn